OPPORTUNISTIC SIGHTING 2016

No.	Species	Jan-Mar	Apr-Jun	Jul-Sep	Oct-Dis	Total	Percentage (%)
1	Long tailed macaque	3	7	2	5	17	13.8
2	Pig tailed macaque	4	4	6	8	22	17.7
3	Bornean pygmy elephant	8	1	2	2	13	10.5
4	Wild pig	1	4	7	6	18	14.5
5	Sambar deer	4	1	1	1	7	5.7
6	Malay civet	0	5	0	1	6	4.8
7	Lesser mouse deer	2	0	1	0	3	2.4
8	Leopard cat	1	1	2	0	4	3.3
9	Bornean yellow muntjac	1	1	0	2	4	3.3
10	Giant squirrel	1	1	1	0	3	2.4
11	Common palm civet	0	2	2	2	6	4.8
12	Barn owl	0	2	0	0	2	1.6
13	Black squirrel	1	0	0	0	1	0.8

14	Porcupine	1	0	0	0	1	0.8
15	Bornean gibbon	0	1	2	2	5	4
16	Flat-headed cat	0	1	1	0	2	1.6
17	Horse-tailed squirrel	0	1	0	0	1	0.8
18	Western tarsier	0	1	0	0	1	0.8
19	Banded-palm civet	0	1	0	0	1	0.8
20	Ayam hutan	0	1	0	0	1	0.8
21	Red leaf monkey	0	0	2	0	2	1.6
22	Marbled cat	0	0	2	0	2	1.6
23	Small-toothed palm civet	0	0	0	1	1	0.8
24	Creasted Fireback	0	0	0	1	1	0.8
TOTAL 27 35 31 31 124 100%							

Table 1. Shows Opportunistic Sighting data recorded from January 2016 until December 2016




Figure 1. Graph shows Opportunistic Sighting data/results from January 2016 until December 2016

From Figure 1, it is shown that Pig-tailed Macaque was mostly found compare to other wildlife species in forest reserve areas. Three species that categorised as endangered species; Bornean pygmy elephant, Common palm civet and Bornean gibbon were also found during data collection. These data recorded during wildlife monitoring, patrolling other activities within forest reserve areas.